


# LED OFFICE LIGHT SERIES




# LED OFFICE LIGHT SERIES



## PRODUCT SPECIFICATIONS

Mode	Power	Dimension	Material	LM/W	CRI	CCT	Input Voltage
GT-5210LED	50W	Φ600*H:70mm	Steel+PC	80	80	3000K/4000K/6500K	AC180-260V
GT-5211LED	72W	L:600*W:600*H:70mm	Steel+PC	80	80	3000K/4000K/6500K	AC180-260V

## PRODUCT DIMENSIONS



# LED OFFICE LIGHT SERIES



## PRODUCT SPECIFICATIONS

Mode	Power	Dimension	Material	LM/W	CRI	CCT	Input Voltage
GT-5214 LED	56W	L:600*W:600*H:70mm	Steel+PC	80	80	3000K/4000K/6500K	AC180-260V
GT-5215 LED	48W	L:600*W:600*H:70mm	Steel+PC	80	80	3000K/4000K/6500K	AC180-260V



## PRODUCT DIMENSIONS




KA-5214 LED



KA-5215 LED




# LED OFFICE LIGHT SERIES



## PRODUCT SPECIFICATIONS

Mode	Power	Dimension	Material	LM/W	CRI	CCT	Input Voltage
GT-51200B LED	36W	L:1200*W:200*H:70mm	Steel+PC	80	80	3000K/4000K/6500K	AC180-260V

## PRODUCT DIMENSIONS



# LED OFFICE LIGHT SERIES



## PRODUCT SPECIFICATIONS

Mode	Power	Dimension	Material	LM/W	CRI	CCT	Input Voltage
GT-51150A LED	54W	L:1200*W:150*H:50mm	Aluminum+PC alloy	80	80	3000K/4000K/6000K	AC170-260V
GT-5155A LED	18W	L:1200*W:55*H:50mm	Aluminum+PC alloy	80	80	3000K/4000K/6000K	AC170-260V

## PRODUCT DIMENSIONS

